



Attorney Docket No.: AMD-C553397.DIV

28:14

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this transmittal of the below described document is being deposited with the United States Postal Service in an envelope bearing First Class Postage and addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the below date of deposit.

Date of Deposit:	10/24/03	Name of Person Making the Deposit:	Kerry Erin Kelly	Signature of the Person Making the Deposit:	
------------------	----------	------------------------------------	------------------	---	--

In re Application of: **Liu and Wollesen**

Serial No.: **09/629,780**

Examiner: **Crespo, M.D.P.**

Filed: **7/31/00**

Art Unit: **2814**

For: **A TRENCHED GATE NON-VOLATILE SEMICONDUCTOR METHOD WITH THE SOURCE/DRAIN REGIONS SPACED FROM THE TRENCH BY SIDEWALL DOPINGS**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RECEIVED
NOV - 3 2003
TECHNOLOGY CENTER 2800

AMENDMENT TRANSMITTAL

1. Transmitted herewith is an amendment for this application

☒ Transmitted herewith is a response to an office action for the above identified patent application.
(10 sheets)
Transmitted herewith is sheet of Red Line drawings.
Other:

2. Applicant is other than a small entity

Extension of Term

3. The proceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply.

(a) ☐ Applicant petitions for an extension of time under 37 C.F.R. 1.136
(fees: 37 C.F.R. 1.17(a)-(d) for the total number of months checked below:)

<u>Extension</u>	<u>Fee</u>
<input type="checkbox"/> one month	\$110.00
<input type="checkbox"/> two months	\$400.00
<input type="checkbox"/> three months	\$920.00
<input type="checkbox"/> four months	\$1,960.00

Fee \$

If an additional extension of time is required, please consider this a petition therefor.

(b) ☒ Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

Fee Calculation

4. The fee for claims (37 C.F.R. 1.16(b)-(d)) has been calculated as shown below:

(for other than a small entity)					
Fee Items	Claims Remaining After Amendment	Highest Number of Claims Previously Paid For	Present Extra Claims	Fee Rate	Total
Total Claims	20	- 20 =	0	x \$18.00	\$0.00
Independent Claims	2	- 3 =	0	x \$80.00	\$0.00
Multiple Dependent Claim Fee (one or more, first added by this amendment)				\$260.00	
Total Fees					\$0.00

PAYMENT OF FEES

5. The full fee due in connection with this communication is provided as follows:

☒ The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No.: 23-0085.
A duplicate copy of this authorization is enclosed.

☐ A check in the amount of \$

☐ Charge any fees required or credit any overpayments associated with this filing to Deposit Account No.: 23-0085.

Please direct all correspondence concerning the above-identified application to the following address:


WAGNER, MURABITO & HAO LLP
Two North Market Street, Third Floor
San Jose, California 95113
(408) 938-9060

Respectfully submitted,

Date: October 24, 2003

By: 

Mehlin Dean Matthews
Reg. No. 46, 127



AMD-C553397.DIV

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : Liu and Wollesen

Serial No.: 09/629,780

Filed: July 31, 2000

For: A TRENCHED GATE NON-VOLATILE SEMICONDUCTOR METHOD WITH THE
SOURCE/DRAIN REGIONS SPACED FROM THE TRENCH BY SIDEWALL
DOPINGS

Examiner: Crespo, M.D.P

Art Unit: 2814

RECEIVED
NOV - 3 2003
TECHNOLOGY CENTER 2800

~~AMENDMENT AND RESPONSE TO OFFICE ACTION~~

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed August 25, 2003 for the above captioned patent application, Applicant respectfully requests entry of the following amendments and consideration of the following remarks.

Serial No.: 09/629,780

AMENDMENTS TO THE SPECIFICATION

There are no amendments to the specification accompanying this response.

AMENDMENTS TO THE DRAWINGS

There are no amendments to the drawings accompanying this response.
